International Endodontic Journal (1995) **28**, 309–311

Author Index

Adams NS *see* Shah HN *et al.*
Ahlberg KMF, Assavanop P, Tay WM. A comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth, 30
Ahola RH *see* Tjäderhane LS *et al.*
Al-Nazhan SA, Spangberg LW. Light and SEM observation of internal root resorption of a traumatized permanent central incisor, 133
Al-Omari MAO *see* Thompson SA *et al.*
Andreasen JO *see* Pitt Ford TR *et al.*
Andrews DMA *see* Shah HN *et al.*
Assavanop P *see* Ahlberg KMF *et al.*
Aung Than HLA, Gulabivala K. Root canal morphology of Burmese molar teeth, 177 *abs*

Bäckman TK *see* Tjäderhane LS *et al.*
Bailey GC, Cunnington S, Barber P, Setchell DJ. Ultrasonic condensation of gutta-percha: quality of root canal filling, 177 *abs*
Barber P *see* Bailey GC *et al.*
Bartold PM, Moule AJ, Li H, Rigby P. Isolation and characterization of the proteoglycans synthesized by adult human pulp fibroblasts *in vitro*, 163
Bartold PM, Schlagenhauf U. Localization of chondroitin sulphate and dermatan sulphate in human dental pulps — an immunohistochemical study, 19
Bedford-Roberts E, Curtis RV, Pitt Ford TR. Cutting pattern of Flexogate instruments, 177 *abs*
Berbert A, Filho MT, Ueno AH, Bramante CM, Ishikiriama A. The influence of ultrasound in removing intraradicular posts, 54, 100
Berset GP *see* Eriksen HM *et al.*
Biagioni PA *see* Hussey DL *et al.*
Bishop K, Briggs P, Kelleher M. Sickle cell disease: a diagnostic dilemma, 297
Bjertness E *see* Eriksen HM *et al.*
Blašković-Šubat V, Smojver I, Maričić B, Šutalo J. A computerized method for the evaluation of root canal morphology, 290
Blunt L *see* Devall R *et al.*
Boersma J *see* Wu M-R *et al.*
Bramante CM *see* Berbert A *et al.*
Brauner AW, Conrads G. Studies into the microbial spectrum of apical periodontitis, 244
Briggs P *see* Bishop K *et al.*
Butler T *see* Whitworth JM *et al.*

Çalişkan MK. Pulpotomy of carious vital teeth with periapical involvement, 172
Cameron JA. Factors affecting the clinical efficiency of ultrasonic endodontics: a scanning electron microscopy study, 47
Camps JJ, Pertot WJ. Machining efficiency of nickel-titanium K-type files in a linear motion, 279
Camps JJ, Pertot WJ. Torsional and stiffness properties of nickel-titanium K files, 239
Carrotte PV. British Endodontic Society Regional Meeting, Cambridge, November 1994, report, 117
Castellucci A, Gambarini G. Obturation of iatrogenically damaged root canals with injectable thermoplasticized gutta-percha: a case report, 108
Celletti R *see* Pecora G *et al.*
Chandler NP *see* Osborne GE & Chandler NP
Chong BS. British Endodontic Society Spring Scientific Meeting, report, 228
Conrads G *see* Brauner AW & Conrads G
Cunnington S *see* Bailey GC *et al.*
Curtis RV *see* Bedford-Roberts E *et al.*
Czajka J *see* Rushton VE *et al.*

Davarpanah M *see* Pecora G *et al.*
Devall R, Waplington M, Lumley PJ, Blunt L. Cutting characteristics of a sonic root-end preparation instrument, 178 *abs*
Dorn SO *see* Pitt Ford TR *et al.*
Dummer PMH *see* Lloyd A *et al.*; Thompson SA *et al.*
Dumsha T, Hovland EJ. Evaluation of long-term calcium hydroxide treatment in avulsed teeth — an *in vivo* study, 7
Durcker DB *see* Gomes BPFA *et al.*

Edmunds DH *see* Pathomvanich S & Edmunds DH
Eriksen HM, Berset GP, Hansen BF, Bjertness E. Changes in endodontic status 1973–1993 among 35-year-olds in Oslo, Norway, 129

Faus V *see* Pallarés A *et al.*
Fava LRG. Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103
Filho MT *see* Berbert A *et al.*
Foot NP, Thexton AJ, Pitt Ford TR. Jaw-opening reflex in the investigation of pulpits, 178 *abs*

Gambarini G *see* Castellucci A & Gambarini G
Georgopoulou M *see* Kontakiotis E *et al.*
Gharbia SE *see* Shah HN *et al.*
Glennon JP, Gulabivala K, Setchell DJ. Factors associated with pain and swelling during root canal treatment, 178 *abs*
Glickman GN *see* Pallarés A *et al.*
Gomes BPFA, Lilley JD, Durcker DB, Worthington HV. Differing susceptibilities of members of the endodontic microflora to biomechanical procedures, 179 *abs*
Grosrey J *see* Lussi A *et al.*
Gulabivala K, Sayed AA, Wilson M. The effect of retrograde cavity design on microleakage of amalgam fillings, 204
Gulabivala K, Searson LJ. Clinical diagnosis of internal resorption: an exception to the rule, 255
Gulabivala K, *see also* Aung Than HLA & Gulabivala K; Glennon JP *et al.*; Shah HN *et al.*
Gutmann JL *see* Leonard JE & Gutmann JL; Lloyd A *et al.*; Roda RS & Gutmann JL

Hansen BF *see* Eriksen HM *et al.*
Hietala EL *see* Tjäderhane LS *et al.*
Holland R, Sakashita MS, Murata SS, Junior ED. Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
Hoppe W *see* Tepel J *et al.*
Horner K *see* Rushton VE *et al.*
Hotz P *see* Lussi A *et al.*
Hovland EJ *see* Dumsha T & Hovland EJ

© 1995 Blackwell Science Ltd

Hussey DL, Killough SA. A survey of general dental practitioners' approach to the restoration of root-filled teeth, 91
Hussey DL, McCullagh HHP, Biagioni PA, Lamey P-J. Thermographic assessment of endodontic thermomechanical obturation and post channel preparation, 179 *abs*

Imura N, Zuolo ML. Factors associated with endodontic flare-ups: a prospective study, 261
Ishikiriama A *see* Berbert A *et al.*

Jaoui L, Machtou P, Ouhayoun JP. Long-term evaluation of endodontic and periodontal treatment, 249
Junior ED *see* Holland R *et al.*

Kariyawasam SP *see* Pitt Ford TR *et al.*
Kelleher M *see* Bishop K *et al.*
Khabbaz MG, Konstantaki MN, Sykaras SN. Dens invaginatus in a mandibular lateral incisor, 303
Khan AK *see* Whitworth JM *et al.*
Khan AQ *see* Whitworth JM & Khan AQ
Killough SA *see* Hussey DL & Killough SA
Kim S *see* Pecora G *et al.*
Koch KA *see* Weller RN & Koch KA
Konstantaki MN *see* Khabbaz MG *et al.*
Kontakiotis E, Nakou M, Georgopoulou M. *In vitro* study of the indirect action of calcium hydroxide on the anaerobic flora of the root canal, 285

Lamey P-J *see* Hussey DL *et al.*
Larmas MA *see* Tjäderhane LS *et al.*
Leonard JE, Gutmann JL. Multidisciplinary aspects of root resection failure: a case report, 137
Li H *see* Bartold PM *et al.*
Lilley JD *see* Gomes BPFA *et al.*
Lloyd A, Thompson J, Gutmann JL, Dummer PMH. Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
Lumley PJ *see* Devall R *et al.*
Lussi A, Messerli L, Hotz P, Grosrey J. A new non-instrumental technique for cleaning and filling root canals, 1

McCullagh JJP *see* Hussey DL *et al.*
McGadey J *see* Saunders WP *et al.*
Machtou P *see* Jaoui L *et al.*
Manogue M *see* Youngson CC *et al.*
Maričić B *see* Blaškovic-Šubat V *et al.*
Messerli L *see* Lussi A *et al.*
Mileman PA *see* Stheeman SE *et al.*
Moorer WR *see* Peters LB *et al.*
Moseley H *see* Saunders WP *et al.*
Moule AJ *see* Bartold PM *et al.*
Murata SS *see* Holland R *et al.*

Nakou M *see* Kontakiotis E *et al.*
Nattress BR *see* Youngson CC *et al.*

Ong EY, Pitt Ford TR. Comparison of Radiovisiography with radiographic film in root length determination, 25
Osborne GE, Chandler NP. Simulated resorptive defects and open apices using bovine and human teeth as teaching models, 111
Ouhayoun JP *see* Jaoui L *et al.*

Pajari UH *see* Tjäderhane LS *et al.*
Pallarés A, Faus V, Glickman GN. The adaptation of mechanically softened gutta-percha to the canal walls in the presence or absence of smear layer: a scanning electron microscopic study, 266
Pathomvanich S, Edmunds DH. Variation in microleakage produced by four different techniques in root fillings in a simulated root canal model, 179 *abs*
Payne AP *see* Saunders WP *et al.*
Pecora G, Kim S, Celletti R, Davarpanah M. The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41
Pertot WJ *see* Camps JJ & Pertot WJ
Peters LB, Wesselink PR, Moorer WR. The fate and the role of bacteria left in root dentinal tubules, 95
Pitt Ford TR, Andreasen JO, Dorn SO, Kariyawasam SP. Effect of various zinc oxide materials as root-end fillings on healing after replantation, 273
Pitt Ford TR, *see also* Bedford-Roberts E *et al.*; Foot NP *et al.*; Ong EY & Pitt Ford TR; Sultan M & Pitt Ford TR

Ray HA, Trope M. Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Reid JS *see* Williams CECS *et al.*
Rigby P *see* Bartold PM *et al.*
Roda RS, Gutmann JL. Reliability of reduced air pressure methods used to assess the apical seal, 154
Rushton VE, Shearer AC, Horner K, Czajka J. An *in vitro* comparison of 10 radiographic methods for working length estimation, 149

Sakashita MS *see* Holland R *et al.*
Saunders WP, Whitters CJ, Strang R, Moseley H, Payne AP, McGadey J. The effect of an Nd-YAG pulsed laser on the cleaning of the root canal and the formation of a fused apical plug, 213
Saunders WP, *see also* Williams CECS *et al.*
Sayed AA *see* Gulabivala K *et al.*
Schäfer E *see* Tepel J *et al.*
Schlagenhauf U *see* Bartold PM & Schlagenhauf U
Searson LJ *see* Gulabivala K & Searson LJ
Şen BH, Wesselink PR, Türkün M. The smear layer: a phenomenon in root canal therapy, 141
Setchell DJ *see* Bailey GC *et al.*; Glennon JP *et al.*
Shah HN, Adams NS, Andrews DMA, Gulabivala K, Gharbia SE. Energy assimilation by *Prophyromanas endodontalis* and *Peptostreptococcus micros* as a model for studies of microbial activity in root canal system, 180 *abs*
Sharkey SW *see* Williams CECS *et al.*
Shearer AC *see* Rushton VE *et al.*
Smojver I *see* Blaskovic-Subat V *et al.*
Soikkonen KT. Endodontically treated teeth and periapical findings in the elderly, 200
Spangberg LW *see* Al-Nazhan SA & Spangberg LW
Speirs AF *see* Youngson CC *et al.*
Stheeman SE, Mileman PA, van 't Hof MA, van der Stelt PF. Diagnostic confidence and the accuracy of treatment decisions for radiopaque periapical lesions, 121
Strang R *see* Saunders WP *et al.*
Sultan M, Pitt Ford TR. Ultrasonic preparation and obturation of root-end cavities, 231
Šutalo J *see* Blašković-Šubat V *et al.*
Sykaras SN *see* Khabbaz MG *et al.*

Tay WM *see* Ahlberg KMF *et al.*

Tepel J, Schäfer E, Hoppe W. Root canal instruments for manual use: cutting efficiency and instrumentation of curved canals, 68
Thexton AJ *see* Foot NP *et al.*
Thompson J *see* Lloyd A *et al.*
Thompson SA, Al-Omari MAO, Dummer PMH. Assessing the shape of root canals: an *in vitro* method using microradiography, 61
Tjäderhane LS, Pajari UH, Ahola RH, Bäckman TK, Hietala EL, Larmas MA. Leaving the pulp chamber open for drainage has no effect on the complications of root canal therapy, 82
Trope M *see* Ray HA & Trope M
Türkün M *see* Şen BH *et al.*

Ueno AH *see* Berbert A *et al.*

van der Stelt PF *see* Stheeman SE *et al.*
van 't Hof MA *see* Stheeman SE *et al.*

Waplington M *see* Devall R *et al.*
Weller RN, Koch KA. *In vitro* radicular temperatures produced by injectable thermoplasticized gutta-percha, 86
Wesselink PR *see* Peters LB *et al.*; Şen BH *et al.*; Wu M-R *et al.*
Whitters CJ *see* Saunders WP *et al.*
Whitworth JM, Khan AK, Butler T. Gallium Alloy GF, a mercury-free alternative to amalgam in endodontic surgery? 180 *abs*
Whitworth JM, Khan AQ. Marginal leakage of Gallium Alloy root-end fillings: an *in-vitro* assessment, 194
Williams CECS, Reid JS, Sharkey SW, Saunders WP. *In-vitro* measurement of apically extruded irrigant in primary molars, 221
Wilson M *see* Gulabivala K *et al.*
Worthington HV *see* Gomes BPFA *et al.*
Wu M-K, Wesselink PR, Boersma J. A 1-year follow-up study on leakage of four root canal sealers at different thicknesses, 185

Youngson CC, Nattress BR, Manogue M, Speirs AF. *In vitro* radiographic representation of the extent of voids within obturated root canals, 77

Zuolo ML *see* Imura N & Zuolo ML

International Endodontic Journal (1995) **28**, 312–315

Subject Index

Amalgam
Gallium Alloy GF, a mercury-free alternative to amalgam in endodontic surgery? 180 *abst*
The effect of retrograde cavity design on microleakage of amalgam fillings, 204
Anaerobic bacteria, *In vitro* study of the indirect action of calcium hydroxide on the anaerobic flora of the root canal, 285
Anaesthesia, Sickle cell disease: a diagnostic dilemma, 297
Apical extrusion and leakage, Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
Apical leakage
Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
Reliability of reduced air pressure methods used to assess the apical seal, 154
Apical periodontitis, Changes in endodontic status 1973–1993 among 35-year-olds in Oslo, Norway, 129
Apical plug, The effect of an Nd-YAG pulsed laser on the cleaning of root canal and the formation of a fused apical plug, 213
Apical seal, Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Apicectomy, Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Avulsion, Evaluation of long-term calcium hydroxide treatment in avulsed teeth — an *in vivo* study, 7

Bacteria
Studies into the microbial spectrum of apical periodontitis, 244
The fate and the role of bacteria left in root dentinal tubules, 95
The smear layer: a phenomenon in root canal therapy, 141
Biomechanical procedures, Differing susceptibilities of members of the endodontic microflora to biomechanical procedures, 179 *abst*
Bone defects, The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41
British Endodontic Society
Regional Meeting, Cambridge, November 1994, report, 117
Spring scientific meeting, abstracts and posters, 177 *abst*; report, 228
Burma, Root canal morphology of Burmese molar teeth, 177 *abst*

Calcium hydroxide
Evaluation of long-term calcium hydroxide treatment in avulsed teeth — an *in vivo* study, 7
In vitro study of the indirect action of calcium hydroxide on the anaerobic flora of the root canal, 285
Pulpotomy of carious vital teeth with periapical involvement, 172
Canal preparation and shape, Assessing the shape of root canals: an *in vitro* method using microradiography, 61
Central incisor, Light and SEM observation of internal root resorption of a traumatized permanent central incisor, 133
Chondroitin sulphate, Localization of chondroitin sulphate and dermatan sulphate in human dental pulps — an immunohistochemical study, 19
Cleaning, A new non-instrumental technique for cleaning and filling root canals, 1
Computerised analysis, A computerized method for the evaluation of root canal morphology, 290
Coronal restoration, Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Cutting efficiency, Root canal instruments for manual use: cutting efficiency and instrumentation of curved canals, 68
Cutting pattern
Cutting characteristics of a sonic root-end preparation instrument, 178 *abst*
Cutting pattern of Flexogate instruments, 177 *abst*

Decision making, Diagnostic confidence and the accuracy of treatment decisions for radiopaque perapical lesions, 121
Dens in dente, Dens invaginatus in a mandibular lateral incisor, 303
Dens invaginatus, Dens invaginatus in a mandibular lateral incisor, 303
Dental pulp chamber, Leaving the pulp chamber open for drainage has no effect on the complications of root canal therapy, 82
Dentinal tubules, The fate and the role of bacteria left in root dentinal tubules, 95
Dermatan sulphate, Localization of chondroitin sulphate and dermatan sulphate in human dental pulps — an immunohistochemical study, 19
Diagnosis, Diagnostic confidence and the accuracy of treatment decisions for radiopaque perapical lesions, 121
Disinfectants, The smear layer: a phenomenon in root canal therapy, 141
DNA probes, Studies into the microbial spectrum of apical periodontitis, 244
Drainage, Leaving the pulp chamber open for drainage has no effect on the complications of root canal therapy, 82
Dressing, Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
Dye penetration, A comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth, 30

EDTA, Factors affecting the clinical efficiency of ultrasonic endodontics: a scanning electron microscopy study, 47
Elderly, Endodontically treated teeth and periapical findings in the elderly, 200
Emergency, Factors associated with endodontic flare-ups: a prospective study, 261
Endodontic failure, The fate and the role of bacteria left in root dentinal tubules, 95
Endodontic file, Torsional and stiffness properties of nickel-titanium K files, 239
Endodontic success, Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Endodontic surgery, The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41
Endodontic treatment
Changes in endodontic status 1973–1993 among 35-year-olds in Oslo, Norway, 129

© 1995 Blackwell Science Ltd

Factors associated with endodontic flare-ups: a prospective study, 261
Long-term evaluation of endodontic and periodontal treatment, 249
Endodontically treated teeth, Endodontically treated teeth and periapical findings in the elderly, 200
Endosonics, *In-vitro* measurement of apically extruded irrigant in primary molars, 221
Energy, Energy assimilation by *Prophyromanas endodontalis* and *Peptostreptococcus micros* as a model for studies of microbial activity in root canal system, 180 *abst*
Exacerbations, Factors associated with endodontic flare-ups: a prospective study, 261
Extrusion, *In-vitro* measurement of apically extruded irrigant in primary molars, 221

Failure, Multidisciplinary aspects of root resection failure: a case report, 137
Fibroblast, Isolation and characterization of the proteoglycans synthesized by adult human pulp fibroblasts *in vitro*, 163
Files, Torsional and stiffness properties of nickel-titanium K files, 239
Filing, Root canal instruments for manual use: cutting efficiency and instrumentation of curved canals, 68
Filling(s)
A new non-instrumental technique for cleaning and filling root canals, 1
Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Ultrasonic condensation of gutta-percha: quality of root canal filling, 177 *abst*
Variation in microleakage produced by four different techniques in root fillings in a simulated root canal model, 179 *abst*
Flare-up, Factors associated with endodontic flare-ups: a prospective study, 261
Flexogate instruments, Cutting pattern of Flexogate instruments, 177 *abst*
Fluid transport, A 1-year follow-up study on leakage of four root canal sealers at different thicknesses, 185

Gallium Alloy, Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Gallium Alloy GF, Gallium Alloy GF, a mercury-free alternative to amalgam in endodontic surgery?, 180 *abst*
Gerodontology, Endodontically treated teeth and periapical findings in the elderly, 200
Glass ionomer, Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
Glycosaminoglycan, Isolation and characterization of the proteoglycans synthesized by adult human pulp fibroblasts *in vitro*, 163
Guided tissue regeneration, The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41
Gutta-percha
In vitro radicular temperatures produced by injectable thermoplasticized gutta-percha, 86
Obturation of iatrogenically damaged root canals with injectable thermoplasticized gutta-percha: a case report, 108
Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
The adaptation of mechanically softened gutta-percha to the canal walls in the presence or absence of smear layer: a scanning electron microscopic study, 266
Ultrasonic condensation of gutta-percha: quality of root canal filling, 177 *abst*
Iatrogenic errors, Obturation of iatrogenically damaged root canals with injectable thermoplasticized gutta-percha: a case report, 108
India ink, A comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth, 30
Interappointment emergency, Factors associated with endodontic flare-ups: a prospective study, 261
Internal resorption
Clinical diagnosis of internal resorption: an exception to the rule, 255
Light and SEM observation of internal root resorption of a traumatized permanent central incisor, 133
Intracanal temperature, *In vitro* radicular temperatures produced by injectable thermoplasticized gutta-percha, 86
Irrigant, *In-vitro* measurement of apically extruded irrigant in primary molars, 221

Jaw-opening reflex, Jaw-opening reflex in the investigation of pulpitis, 178 *abst*

K-type files, Machining efficiency of nickel-titanium K-type files in a linear motion, 279

Laser, The effect of an Nd-YAG pulsed laser on the cleaning of root canal and the formation of a fused apical plug, 213
Lateral condensation, Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
Leakage, A 1-year follow-up study on leakage of four root canal sealers at different thicknesses, 185
Length estimation, An *in vitro* comparison of 10 radiographic methods for working length estimation, 149
Lipopolysaccharide, The effect of retrograde cavity design on microleakage of amalgam fillings, 204
Long-term evaluation, Long-term evaluation of endodontic and periodontal treatment, 249
Louis Grossman Meeting, tenth, Pennsylvania, October 1994, report, 118

Mandibular lateral incisor, Dens invaginatus in a mandibular lateral incisor, 303
Mercury-free alternative, Gallium Alloy GF, a mercury-free alternative to amalgam in endodontic surgery?, 180 *abst*
Methylene blue, A comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth, 30
Microbiology, Studies into the microbial spectrum of apical periodontitis, 244
Microflora, Differing susceptibilities of members of the endodontic microflora to biomechanical procedures, 179 *abst*
Microleakage
The effect of retrograde cavity design on microleakage of amalgam fillings, 204
The smear layer: a phenomenon in root canal therapy, 141
Variation in microleakage produced by four different techniques in root fillings in a simulated root canal model, 179 *abst*
Microradiography, Assessing the shape of root canals: an *in vitro* method using microradiography, 61
Molar teeth
In-vitro measurement of apically extruded irrigant in primary molars, 221
Root canal morphology of Burmese molar teeth, 177 *abst*

Nickel
Machining efficiency of nickel-titanium K-type files in a linear motion, 279
Torsional and stiffness properties of nickel-titanium K files, 239
Non-instrumental technique, A new non-instrumental technique for cleaning and filling root canals, 1
Nonvital tooth, Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103

Obturation
A new non-instrumental technique for cleaning and filling root canals, 1
In vitro radicular temperatures produced by injectable thermoplasticized gutta-percha, 86
In vitro radiographic representation of the extent of voids within obturated root canals, 77
Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
The adaptation of mechanically softened gutta-percha to the canal walls in the presence or absence of smear layer: a scanning electron microscopic study, 266
Thermographic assessment of endodontic thermomechanical obturation and post channel preparation, 179 *abst*
Ultrasonic preparation and obturation of root-end cavities, 230
Osteogenesis, The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41

Pain
Factors associated with pain and swelling during root canal treatment, 178 *abst*
Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103
Peptostreptococcus micros, Energy assimilation by *Prophyromanas endodontalis* and *Peptostreptococcus micros* as a model for studies of microbial activity in root canal system, 180 *abst*
Periapical granuloma samples, Studies into the microbial spectrum of apical periodontitis, 244
Periapical healing, Pulpotomy of carious vital teeth with periapical involvement, 172
Periapical radiograph, Diagnostic confidence and the accuracy of treatment decisions for radiopaque perapical lesions, 121
Periapical repair, Obturation of iatrogenically damaged root canals with injectable thermoplasticized gutta-percha: a case report, 108
Periapical status, Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Periodontal treatment, Long-term evaluation of endodontic and periodontal treatment, 249
Periradicular lesions, The guided tissue regeneration principle in endodontic surgery: one-year postoperative results of large periapical lesions, 41
Post channel preparation, Thermographic assessment of endodontic thermomechanical obturation and post channel preparation, 179 *abst*
Post removal, The influence of ultrasound in removing intraradicular posts, 54, 100
Postoperative pain, Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103
Posts, A survey of general dental practitioners' approach to the restoration of root-filled teeth, 91
Primary teeth, *In-vitro* measurement of apically extruded irrigant in primary molars, 221
Prognosis, Long-term evaluation of endodontic and periodontal treatment, 249
Prophyromanas endodontalis, Energy assimilation by *Prophyromanas endodontalis* and *Peptostreptococcus micros* as a model for studies of microbial activity in root canal system, 180 *abst*
Proteoglycans
Isolation and characterization of the proteoglycans synthesized by adult human pulp fibroblasts *in vitro*, 163
Localization of chondroitin sulphate and dermatan sulphate in human dental pulps - an immunohistochemical study, 19
Pulp
Isolation and characterization of the proteoglycans synthesized by adult human pulp fibroblasts *in vitro*, 163
Localization of chondroitin sulphate and dermatan sulphate in human dental pulps — an immunohistochemical study, 19
Pulpal necrosis, Sickle cell disease: a diagnostic dilemma, 297
Pulpitis, Jaw-opening reflex in the investigation of pulpitis, 178 *abst*
Pulpotomy, Pulpotomy of carious vital teeth with periapical involvement, 172

Radiography
An *in vitro* comparison of 10 radiographic methods for working length estimation, 149
Comparison of Radiovisiography with radiographic film in root length determination, 25
Diagnostic confidence and the accuracy of treatment decisions for radiopaque perapical lesions, 121
Endodontically treated teeth and periapical findings in the elderly, 200
In vitro radiographic representation of the extent of voids within obturated root canals, 77
Radiolabelled lipopolysaccharide, The effect of retrograde cavity design on microleakage of amalgam fillings, 204
Radiovisiography, Comparison of Radiovisiography with radiographic film in root length determination, 25
Replantation, Effect of various zinc oxide materials as root-end fillings on healing after replantation, 273
Resection, Multidisciplinary aspects of root resection failure: a case report, 137
Resorption
Clinical diagnosis of internal resorption: an exception to the rule, 255
Evaluation of long-term calcium hydroxide treatment in avulsed teeth — an *in vivo* study, 7
Light and SEM observation of internal root resorption of a traumatized permanent central incisor, 133
Restoration, Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration, 12
Retreatment, The influence of ultrasound in removing intraradicular posts, 54, 100
Retrograde cavity design, The effect of retrograde cavity design on microleakage of amalgam fillings, 204
Root canal
A new non-instrumental technique for cleaning and filling root canals, 1

Assessing the shape of root canals: an *in vitro* method using microradiography, 61
Root canal instrumentation
Root canal instruments for manual use: cutting efficiency and instrumentation of curved canals, 68
Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103
Root canal morphology, A computerized method for the evaluation of root canal morphology, 290
Root-canal preparation, The effect of an Nd-YAG pulsed laser on the cleaning of root canal and the formation of a fused apical plug, 213
Root canal treatment
A survey of general dental practitioners' approach to the restoration of root-filled teeth, 91
Factors associated with pain and swelling during root canal treatment, 178 *abst*
Leaving the pulp chamber open for drainage has no effect on the complications of root canal therapy, 82
Sickle cell disease: a diagnostic dilemma, 297
Simulated resorptive defects and open apices using bovine and human teeth as teaching models, 111
Root-end filling
Effect of various zinc oxide materials as root-end fillings on healing after replantation, 273
Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Root-end preparation, Ultrasonic preparation and obturation of root-end cavities, 231
Root-filled teeth, A comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth, 30
Root length determination, Comparison of Radiovisiography with radiographic film in root length determination, 25
Rotation, Root canal instruments for manual use: cutting efficiency and instrumentation of curved canals, 68

Sealability
Reliability of reduced air pressure methods used to assess the apical seal, 154
Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
Sealer
A 1-year follow-up study on leakage of four root canal sealers at different thicknesses, 185
Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
The smear layer: a phenomenon in root canal therapy, 141
Sheep incisors, Marginal leakage of Gallium Alloy root-end fillings: an *in vitro* assessment, 194
Sickle cell crisis, Sickle cell disease: a diagnostic dilemma, 297
Simulated root canal model, Variation in microleakage produced by four different techniques in root fillings in a simulated root canal model, 179 *abst*
Simulation, Simulated resorptive defects and open apices using bovine and human teeth as teaching models, 111
Single-visit root canal therapy, Single visit root canal treatment: incidence of postoperative pain using three different instrumentation techniques, 103
Smear layer
Effect of dentine surface treatment on leakage of root fillings with a glass ionomer sealer, 190
Factors affecting the clinical efficiency of ultrasonic endodontics: a scanning electron microscopy study, 47
Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
The adaptation of mechanically softened gutta-percha to the canal walls in the presence or absence of smear layer: a scanning electron microscopic study, 266
The smear layer: a phenomenon in root canal therapy, 141
Sodium hypochlorite, Factors affecting the clinical efficiency of ultrasonic endodontics: a scanning electron microscopy study, 47
Sonic root-end preparation instrument, Cutting characteristics of a sonic root-end preparation instrument, 178 *abst*
Stiffness, Torsional and stiffness properties of nickel-titanium K files, 239
Swelling, Factors associated with pain and swelling during root canal treatment, 178 *abst*

Teaching models, Simulated resorptive defects and open apices using bovine and human teeth as teaching models, 111
Temperatures, *In vitro* radicular temperatures produced by injectable thermoplasticized gutta-percha, 86
Three-dimensional root reconstruction, A computerized method for the evaluation of root canal morphology, 290
Titanium
Machining efficiency of nickel-titanium K-type files in a linear motion, 279
Torsional and stiffness properties of nickel-titanium K files, 239
Tooth abnormality, Dens invaginatus in a mandibular lateral incisor, 303
Trauma
Evaluation of long-term calcium hydroxide treatment in avulsed teeth — an *in vivo* study, 7
Light and SEM observation of internal root resorption of a traumatized permanent central incisor, 133
Treatment, *see* Root canal treatment: and specific headings
Trifecta, Sealability of the Trifecta™ technique in the presence or absence of a smear layer, 35
Twist, Torsional and stiffness properties of nickel-titanium K files, 239

Ultrasonics, Ultrasonic preparation and obturation of root-end cavities, 231
Ultrasound
Factors affecting the clinical efficiency of ultrasonic endodontics: a scanning electron microscopy study, 47
The influence of ultrasound in removing intraradicular posts, 54, 100

Vacuum, Reliability of reduced air pressure methods used to assess the apical seal, 154
Voids, *In vitro* radiographic representation of the extent of voids within obturated root canals, 77

Zinc oxide materials, Effect of various zinc oxide materials as root-end fillings on healing after replantation, 273